

Quantità N.1

Modello: SW410 626 CH LH



LITHIUM BATTERY POWERED


- Completely autonomous
- Patented centrally located Power Drive wheel
- With **DUAL operator handles** for totally safe, fully Bi- Directional operations
- **Control panel on one side**
- Standard Brush height (Brush Reach) 410 cm
- Overall height 420 cm
- 370L capacity water tank
- **105A LITHIUM BATTERY**
- **BATTERY CHARGER**
- All stainless steel bases and frames
- Super heavy duty caster wheels with grease nipples
- Diamond cross section, feathered 0.8 mm brush fiber
- Two Height adjustable stainless steel spray tubes
- **Bumper wheels not included**
- **Electric inclination system not included**

Codice	Descrizione	Prezzo €
SW410626 CH LH	Base machine with 24V-105 A lithium battery and battery charger included	

Main options.

Reference	Description
ALL115	Bumper wheels
ALL11	Quick refilling system
ALL118	Quick disconnect couplings on spray tubes
ALL22 V04	Detergent application system DEMA venture valve and 6 lt can
ALL77	Electric brush inclination system

SPEEDY WASH 626 CH-LH




SCHEDA TECNICA: SPEEDY WASH 626 CH-LH

		U.M.	
CARATTERISTICHE	Alimentazione		Batteria Litio 24V - 105Ah
	Potenza motore	KW	1
	Sistema di guida		Ruota centrale motorizzata a doppia maniglia di comando
	Inclinazione spazzola	Gradi	0°-10°
	Inclinazione lavaggio	Gradi	0°-20°
	Alimentazione inclinazione spazzola		Elettrica
	Alimentazione rotazione spazzola		Elettrica
	Alimentazione trazione		Elettrica
	Peso a pieno carico	Kg	850
	Peso a vuoto	Kg	430
DIMENSIONI	Altezza totale con spazzola standard	E mm	4200
	Dimensione Base	A mm	1790
		C mm	1100
	Altezza min lavaggio	B mm	330
	Altezza max lavaggio	D mm	3750
	Diametro Spazzola	mm	1030
PRESTAZIONI	Capacità serbatoio acqua	L	420
	Giri spazzola	RPM	100
	Velocità lavaggio	m/min	20
	Velocità spostamento	m/min	40

SPECIFICATIONS: SPEEDY WASH 626 CH-LH

		U.M.	
FEATURES	Power supply		Lithium Battery 24V - 105Ah
	Engine power	KW	1
	Traction and steering		Central motorized wheel and dual
	Brush inclination	Degreas	0°-10°
	Washing inclination	Degreas	0°-20°
	Inclination system power supply		Electric
	Brush rotation power supply		Electric
	Traction system		Electric
	Weight loaded	Lbs	1874
	Weight empty	Lbs	948
DIMENSIONS	Overall height with standard brush	E ft	13.78
	Base size	A ft	5.87
		C ft	3.61
	Height start washing	B ft	1.08
	Height brush	D ft	12.3
	Brush diameter	ft	3.38
PERFORMANCE	Water tank capacity	Gal.	112
	Brush revolutions for minute	RPM	100
	Washing speed	ft/m.	66'
	Travel speed	ft/m.	112'

GRAFICO PRESTAZIONI - PERFORMANCE GRAPH



LEGENDA - LEGEND

100% CARICA - 100% CHARGED

80% CARICA - 80% CHARGED

60% CARICA - 60% CHARGED

20% CARICA - 20% CHARGED

10% CARICA - 10% CHARGED

RIEMPIMENTO ACQUA - WATER FILLING

BATTERIA - BATTERY

RICARICA - RECHARGE

